SECRET

& Jews

IN 28568

TOR: Ø6/1945Z SEPT 68 DGW

		SECRET Ø619Ø6Z SEP 68 CITE	25X1A
25X1A		PRIORITY	
25X1A		IDEALIST SCOPE CROSS	
	· June	ANNEX D TO OPORDER 3-68	
		COMMUNICATIONS	
		1. COMMO LINKS	
	-100	A. PROJECT CABLE ADDRESS FOR MCCOY AFB IS	25X1A
	- Vienne	B. OVER THE COUNTER SERVICE VIA THE MCCOY AFB COMMUNICATIONS	
	-	FACILITY HAS BEEN ARRANGED BY PROJECT HQS. TRAFFIC PASSED VIA	•
	-	THIS SERVICE WILL BE OFF-LINE ENCIPHERED USING ONE TIME TAPE PRIOR	
	تستند	TO FORWARDING. CONTACT	25X1A
		C. ONE TIME PADS WILL SERVE AS A BACK-UP TO THE ONE TIME	
	•	TAPE SYSTEM.	
		II. COMMO SUPPORT	
		A. SUPPORTING COMCENTERS FOR THIS OPERATION ARE:	,
25X1A	e nge r ⁱ	Off	
	-	Fit Flan W	
		Ops Trng	25X1A
		5. OPCEN	U
	-	B. ACTIVATION/DEACTIVATION MESSAGE WILL BE FILED BY	
	-		

Approved For Release 2002/10/31 : CIA-RDP99B00048R000100270014-4
IN 28568 S E C R E T PAGE 1 OF 3

SECRET

2EV4A		
25X1A	94°	IN 28568 CITE
	**	·
	Ų.	III. PERSONNEL DEPLOYMENT 25X1A
25X1A		TO DEPLOY TO ONE CTR, ONE ET, AND ONE CTC 25X1A
		TO ESTABLISH, OPERATE AND MAINTAIN THE OFF-LINE TERMINAL,
	·	AND HESSB EQUIPMENT.
25X1A		IV. HFSSB
25X1A		A. PROVIDE AND INSTALL EQUIPMENT, AS REQUIRED, TO
25X1A		ESTABLISH MONITOR AND READOUT AT 25X1A
25X1A	***	PROVIDE AND INSTALL EQUIPMENT, AS REQUIRED, TO
	-	ESTABLISH HFSSB AIR/GROUND COMMO AT
25X1A		C. MONITOR AND READOUT WILL BE PERFORMED AT
25X1A	•	
25X1A		D. WILL ORIGINATE NECESSARY MESSAGE/S FOR 25X1A
25X1A		
25X1A	*	MESSAGE/S FOR25X1A
25X1A	نسد	THE PURE THE PURE THE PURE TERM TO TRUE TO
	-	ALL FLIGHTS LAUNCHED FROM INCLUDING THE RETURN FLIGHT TO
25X1A	-	25X1A
		V. CRYPTO STOCK 25X1A FOR ENCIPHER-
		ONE TIME TAPES (OIL S) WILL BE INCOLUDED .
	-	MENT/DECIPHERMENT ALL PROJECT TRAFFIC. OTT'S ASSIGNED ARE 25X1A ONE TIME PADS (OTP'S) WILL BE FURNISHED
25X1A		
25X1A	***	BY FOR EMERGENCY BACK-UP PURPOSES. OTP'S ASSIGNED ARE
		IN 28568 SECRET PAGE 2 OF 3
	- 41	

Approved For Release 2002/10/31 : CIA-RDP99B00048R000100270014-4

25X1A ▼	PAGE 3 SECRET	25V1A
25X1A	PAGE 3 ONE TIME PADS (OTP'S) WILL BE I	FURNISHED
25X1A	BY FOR EMERGENCY BACK-UP PURPOSES. OTP'S ASSIGNED ARE	
25X1A 🕶	BEGIN PAGE III AND BEGIN PAGE 087. OPCEN HOLDS OPPOSITE	e ND S
	OF ABOVE CRYPTO MATERIAL.	
•	VI. CRYPTO PROCEDURES, CABLE ADDRESS AND INDICATORS	,
-	A. FOLLOWING APPLIES TO TRAFFIC FILED OVER-THE-COUNTER.	
	1. EXISTING MILITARY PROCEDURES WILL BE UTILIZED EXTERNA	LLY
	FOR ALL TRAFFIC.	<u> </u>
25X1A -	PROCEDURES WILL APPLY FOR OTT TRAFFIC AND	25X1A
	FOR OTP TRAFFIC. REGULAR PROJECT FORMAT WILL BE USED INTER	NALLY.
25X1A	PROCEDURES WILL BE APPLIED TO ALL TRAFFIC.	
73	MESSAGES WILL BE REFILED IF NOT RECEIVED WITHIN ONE HO	UR AFTER 25X1A
·	INITIAL TRANSMISSION.	
	4. RECIPROCAL SYSTEM INDICATOR ASSIGNED ALL	25X1A
•	OTT TRAFFIC. RECIPROCAL SYSTEM INDICATOR ASSIGNED	25X1A
نسد	ALL OTP TRAFFIC.	
•	5. OPCEN ROUTING INDICATOR WILL BE UTILIZED.	25X1A
~	COMCEN MCCOY ROUTING INDICATOR IS	25X1A
	6. IMMEDIATE PRECEDENCE WILL APPLY EXTERNALLY ON ALL	
	TRAFFIC.	
		3.2.

END OF MSG